### **INSTINCT**°

## Flushing


Section	Page No.
Frames + Concealed Cisterns	
WC Frames	
Instinct 400mm Wall Hung Bidet + WC Frame	132
Instinct 820mm Wall Hung Frame + Cistern	132
Instinct 1000mm Wall Hung Frame + Cistern	132
Instinct 1170mm Wall Hung Frame + Cistern	132
Concealed Cisterns	
Instinct In-Wall Dual Flush Concealed Cistern	133
Instinct Comfort Dual Flush Concealed Cistern	133
Instinct Bottom Entry Dual Flush Concealed Cistern	133
Instinct Side Entry Dual Flush Concealed Cistern	133

### Dual Flush Plates + Buttons

Dual Flush Plates	
Nuance	134
new Kiso	135
Instinct Glass	135
Hemsworth	135
Espada	135
Dual Flush Buttons	
new Oval	136
Nuance	136
new Kiso	136
Replacement Flush Buttons	136

Contactless Flushing	
Instinct Contactless Close Coupled Flushing	137
Instinct Contactless Dual Flush Remote Sensor Kit	137
Instinct Touch Sensor Flush Plate	137

# What's new and trending this season...







WC Frames Page 132

# Flushing Range Selector

				Compo	atibility			
Range	Page No.	Standard Depth 500 BTW Unit	Standard Depth 600 BTW Unit	Slim Depth 500 BTW Unit	Slim Depth 600 BTW Unit	Boxed / Tiled in with Worktop	Boxed / Tiled in Full Height	Boxed / Tiled in Full Height – Slim Stud Wa
Instinct 400mm Wall Hung Bidet + WC Frame	132	• ^	• ^	•	• ^	• ^		
Instinct 820mm Wall Hung Frame + Cistern	132		•*		•*	•	•	
Instinct 1000mm Wall Hung Frame + Cistern	132					•	•	
Instinct 1170mm Wall Hung Frame + Cistern	132						•	•

\*Use with adaptor kit INST13007  $\ ^{\Delta}$ Use with concealed cisterns INST13001 or INST13002

Concealed Cisterns								
				Comp	atibility			Flush Button
Range	Page No.	Standard Depth 500 BTW Unit	Standard Depth 600 BTW Unit	Slim Depth 500 BTW Unit	Slim Depth 600 BTW Unit	Boxed / Tiled in with Worktop	Boxed / Tiled in Full Height	Supplied with Concealed Cistern
Instinct In-Wall Dual Flush Concealed Cistern	133					•	•	
Instinct Comfort Dual Flush Concealed Cistern	133	٠	٠	•	•			٠
Instinct Bottom Entry Dual Flush Concealed Cistern	133	٠	٠	•	•			٠
Instinct Side Entry Dual Flush Concealed Cistern	133	•	•	•	•			•

#### **Flushing Features**

There are many features in our flushing range. Use the icons to help choose the right option for you.



Guarantees All WC frames, concealed cisterns, flush plates, flush buttons and contactless flushing products come with a five year guarantee.



**Dual Flush Volume** The Dual Flush allows you to save water while providing you with the flexibility to choose between a water saving 3 litre flush or a standard 6 litre flush.



0

Easy Install

installation.

designed for easy

maintenance and

**Back To Wall Pans** Can be used for back to wall pans.



Insulation Our concealed cisterns The Instinct concealed and WC frames are cistern jackets are fully insulated.

Wall Hung Pans

be used.

Allows wall hung pans to



Wall Hung Bidets Can be used for wall hung bidets.



Low Battery Alarm Alarm activates when batteries are running low.



Air Gap WRAS approved Air Gap inlet valve included.



**Contactless Controls** Infrared switch allows control with the wave of your hand.

WC Frames

Flushing

#### **Guarantees**

5 Years on WC Frames + Concealed Cisterns





#### Instinct 400mm Wall Hung Bidet + WC Frame

Width – 400mm Adjustable depth – 170-335mm Adjustable leg height – 200mm Compatibility – INST13001 and INST13008 cisterns (see page 133) Fixings – Brackets, fixings and 1st fix protective covers included Allows Wall Hung Pans to be used in narrow furniture units



£169.00



#### Instinct 1000mm Wall Hung Frame + Cistern

Width – 500mm Adjustable depth – 167-215mm Adjustable leg height – 200mm Maintenance – Top and front access for easy maintenance and installation Fixings – Brackets, fixings and 1st fix protective covers included Ideal for use below windows Flush Valve – WRAS approved 6/3 Litre pneumatic flush valve Inlet Valve – WRAS approved side entry ½" (female) inlet valve with Air Gap



£343.00



#### Instinct 820mm Wall Hung Frame + Cistern

Width – 500mm Adjustable depth – 167-215mm Adjustable leg height – 200mm Maintenance – Front access for easy maintenance and installation Fixings – Brackets, fixings and 1st fix protective covers included Flush Valve – WRAS approved 6/3 Litre pneumatic flush valve Inlet Valve – WRAS approved side entry ½" (female) inlet valve with Air Gap



INST13005		£336.00
INST13007	Furniture Adaptor Kit	£74.00



#### Instinct 1170mm Wall Hung Frame + Cistern

Adjustable depth – 140-200mm (for side or floor exit pipe runs) Adjustable leg height – 200mm

Maintenance – Front access for easy maintenance and installation Fixings – Brackets, fixings and 1st fix protective covers included Compatible with pneumatic flush plates & buttons (sold separately) Flush Valve – WRAS approved 6/3 Litre pneumatic flush valve Inlet Valve – WRAS approved side entry ½" (female) inlet valve with Air Gap





### **Concealed** Cisterns



#### Instinct In-Wall Dual Flush Concealed Cistern

Flush - 6/3 Litre flush

Insulation – Jacket insulated

Maintenance - Top or front access for easy maintenance and installation

Flush Valve – Pneumatic flush valve

Inlet Valve – WRAS approved Air Gap Side Inlet valve

Flush plate/button - Not supplied (Ensure maintenance access is available if a button or contactless sensor)

Dimensions - 745(h) Max x 600(w) x 138-194(d) mm



£156.00



#### Instinct Comfort Dual Flush Concealed Cistern

Flush - 6/3 Litre flush Insulation – Jacket insulated Maintenance – Top or front access for easy maintenance and installation Flush Valve – Pneumatic flush valve Inlet Valve - WRAS approved Air Gap Bottom Inlet Valve Flush plate/button – Round button supplied with cistern as standard For use in 820mm high furniture Dimensions - 324(h) x 437(w) x 165(d) mm



INST13008

£132.00



#### Instinct Bottom Entry Dual Flush Concealed Cistern

Flush – 6/3 Litre flush

Insulation – Jacket insulated

Maintenance - Top or front access for easy maintenance and installation

Flush Valve – Pneumatic flush valve

Inlet Valve – WRAS approved Air Gap Bottom Inlet Valve Flush plate/button – Round button supplied with cistern as standard Dimensions - 365(h) x 434(w) x 140(d) mm



£136.00

INST13002



#### Instinct Side Entry Dual Flush Concealed Cistern

Flush – 6/3 Litre flush

Insulation – Jacket insulated Maintenance - Top or front access for easy maintenance and installation Flush Valve – Pneumatic flush valve

Inlet Valve – WRAS approved Air Gap Bottom Inlet Valve Flush plate/button – Round button supplied with cistern as standard Dimensions - 365(h) x 464(w) x 140(d) mm



£136.00

INSTINCT

Flushing

#### **Guarantees**



### **Flush Plates**

#### Flush Plates + Flush Buttons

					Compatibil	lity			
Range	Page No.	Nuance Flush Plate	Kiso Flush Plate	Espada Flush Plate	Instinct Glass Flush Plate	Hemsworth Flush Plate	Nuance Square + Kiso Round Buttons	Instinct Contactless Remote Sensor Kit	Instinct Touch Sensor Flush Plate
Instinct 820mm Wall Hung Frame + Cistern	132	•	٠	•	•	•*	•*	•*	•
Instinct 1000mm Wall Hung Frame + Cistern	132	•	٠	•	•	•*	•*	•*	•
Instinct 1170mm Wall Hung Frame + Cistern	132	•	٠	•	•	•*	•*	•*	•
Instinct In-Wall Dual Flush Concealed Cistern	133	•	٠	•	•	•*	•*	•*	•
Instinct Comfort Dual Flush Concealed Cistern	133	• <sup>+</sup>	• <sup>+</sup>	•*	•*	•	•	٠	•*
Instinct Bottom Entry Dual Flush Concealed Cistern	133	•	•	•	•	•	•	•	•*
Instinct Side Entry Dual Flush Concealed Cistern	133	٠	٠	٠	٠	٠	٠	٠	•*

\*Compatible, so long as provision made for maintenance access \*Compatible when used in standard depth furniture only


#### **Nuance Dual Flush Plates**



Flush – Dual Dimensions –		
137(h) x 210(w	) mm	
INST13036	Brushed Brass	£130.00



Flush – Dual Dimensions – 137(h) x 210(w) r	nm	
INST13020	Matt Black	



INST13010	Chrome	£57.00
Dimensions – 137(h) x 210( <sup>v</sup>	w) mm	
Flush — Dual		



Flush — Dual Dimensions -137(h) x 210(w) mm INST13019 £136.00 Stainless Steel



Flush Plates Compatibility All are suitable with the cisterns on page 133 except where shown or require allowance for maintenance access. Note: Flush plates are not compatible with the comfort cistern in slim depth fitted furniture installations.

£57.00

All dimensions in mm. All measurements are approximate and subject to standard tolerances.

**Guarantees** 

5

Flush – Dual

Dimensions

INST13037

137(h) x 210(w) mm

Years on Flush Plates

Take a closer look at the Instinct contactless flushing, flush plate and flush button collections




INSTINCT

Flushing

## **Flush Plates**

#### **Kiso Dual Flush Plates**





Flush – Dual Dimensions – 137(h) x 210(w) mm INST13012 Chrome

Flush – Dual Dimensions -137(h) x 210(w) mm INST13021 Black

Flush – Dual Dimensions 137(h) x 210(w) mm £57.00 INST13044 Gunmetal

£130.00

nev

#### **Instinct Glass Dual Flush Plate** (Copper Nickel Buttons)



Brushed Brass £130.00

Flush – Dual Dimensions -137(h) x 210(w) mm INST13030 Black Glass



£57.00

Hemsworth Dual Flush Plate

Flush – Dual Dimensions -137(h) x 210(w) mm Chrome INST13017 £65.00

#### Espada Dual Flush Plate



Flush – Dual Dimensions -138(h) x 210(w) mm INST13004 £57.00 Chrome



£144 00



Flush Plates Compatibility All are suitable with the cisterns on page 133 except where shown or require allowance for maintenance access. Note: Flush plates are not compatible with the comfort cistern in slim depth fitted furniture installations.

Flushing

#### **Guarantees**



#### **Oval Dual Flush Buttons (Concealed Cisterns)**



£16.00

£16.00

#### Flush Buttons Compatibility

INST02044

INST02045

38 (diameter) mm (INST02044)

48 (diameter) mm (INST02045)

Ø38mm

Ø48mm

£27.00

£27.00

Oval, Nuance and Kiso Dual flush buttons are suitable with cisterns on page 133 except where shown or require allowance for maintenance access. Replacement buttons for close coupled ceramic cisterns – Ø38mm buttons are suitable for use with Espada (INST01009), Keros (INST01002), Kinsley (INST02022) close coupled ceramic cisterns. Ø48mm sized buttons are suitable for use with Brierley (INST01034), Eske (INST02058), Firbeck (INST01055), Lissett (INST02034) + Malham (INSTMA002). Replacement dual flush buttons INSFBBB and INSFBMB are only compatible with Dene (INSDN002), Ecstasy (INSEC002N), Loch (INSLO002), Nuance (INSNU002N), Skean (INSKN002), Tulla (INSTU002) + Wave (INSWA002D)

INST02080

INST02081

£21.00

£21.00

38 (diameter) mm (INST02036)

48 (diameter) mm (INST02037)

Ø38mm

Ø48mm

INST02036

INST02037



#### Instinct Contactless Close Coupled Flushing

Finish – Chrome

Compatibility – INST02041 compatible with Espada, Keros, Kinsley and Lissett cisterns to upgrade to contactless flush. Use INST02042 for Eske, Firbeck and Brierley Cistern Both kits compatible with most paddle operated flush valves for retrofit applications If retrofitting to cisterns with cable operated or screw in buttons, replace flush valve with INST02043 which has a 2" base.



INST02041	Close Coupled Sensor Flush Kit (For Ø38mm Cistern Hole)	£97.00
INST02042	Close Coupled Sensor Flush Kit (For Ø48mm Cistern Hole)	£97.00
INST02043	Paddle Operated Close Coupled Dual Flush Valve 2"	£35.00





#### Instinct Contactless Dual Flush Remote Sensor Kit (Pneumatic Concealed Cisterns)

Power Source – Powered by 4 x AA batteries (lasts about one year) Dimensions - 104(h) x 73(w) x 97(d) mm




INST13014

£163.00

### **Contactless Flushing**









#### Instinct Touch Sensor Flush Plate (In-Wall Concealed Cistern + Wall Hung Frames)

Compatibility – Compatible when used in standard depth furniture Dimensions –  $137(h) \times 210(w)$  mm

Touch version recommended for low height plate installations

(ÎR	

INST13016	Touch Sensor Flush Plate (Recommended for INST13005)	£193.00
INST13025	Contactless Sensor Flush Plate (For INST13009, INST13006, INST13015)	£193.00